

D.O.C.K.™ STREAMCASTER

TACTICAL NETWORKING SYSTEM

DOCK SL4210P

Purpose Built for Multi-Domain Operations

Compact, lightweight and powerfully connected, DOCK SL4210P features an integrated StreamCaster MANET radio delivering up to 1W output power and 100 Mbps throughput for high-fidelity video, voice and IP data. The Silvus MN-MIMO waveform creates massively scalable mesh networks, providing connectivity to hundreds of nodes across multi-domain operations.

Through direct connection to Samsung's latest S23TE EUD, instantly access ATAK for increased situational awareness and mission planning. Built-in Intra-Soldier Wireless & Nett Warrior provides connectivity to networked devices and soldier worn peripherals.

Available access to Spectrum Dominance expansive suite of LPI/LPD and Anti-Jamming resiliency capabilities enables secure and protected comms in congested and EW contested environments.

With an ultra-low SWaP profile, DOCK SL4210P features streamlined cabling and unified power, reducing operator load-out for increased combat effectiveness.

Natively compatible with other DOCK StreamCaster Tactical Networking Systems, DOCK SL4210P provides the ability to create a scalable network of Universally Connected Warfighters operating at the tactical edge.





OPERATOR CENTRIC DESIGN

Ultra-low SWaP Profile and Flexible, Modular Design reduces operator load-out for increased Combat Effectiveness

- Remove or replace Radio & EUD with a flick of the Quick Release Lever
- Streamlined Cabling & Unified Power – 36% reduction in Kit Failure Points
- Multiple Connector Option – Plug & Play Accessory Compatibility



POWERFULLY ADVANCED NETWORKING PERFORMANCE

Seamlessly scale from tactical Personal Area Network to Wide-area Networks capable of connecting hundreds of nodes


- Integrated StreamCaster MANET radio – 1W native, up to 2W effective output power
- High Bandwidth Video, Voice & IP Data – Up to 100 Mbps Data Rate
- MN-MIMO Waveform – Operationally proven to connect 550+ nodes



BUILT FOR THE UNIVERSALLY CONNECTED WARFIGHTER

Integrated Samsung S23TE provides Mission-Ready Mobility and powerful On-Board Processing with Advanced Security Features

- Intra-Soldier Wireless* or Ultra-wideband – Instantly access networked devices
- ATAK – Enhanced situational awareness, geospatial, Blue Force Tracking, sensor & cursor on target intelligence. Access specialized ATAK plug-ins including Silvus' advanced radio & configurable PTT settings
- Nett Warrior Connected – Instant access to networked devices & soldier-worn peripherals
- Achieve C2 Interoperability – Directly connect to unmanned systems & sensors to expedite sensor-to-shooter capabilities and maximize lethality



ACHIEVE SPECTRUM DOMINANCE

Achieve RF Spectrum Overmatch with access to an expansive suite of LPI/LPD and Anti-Jamming capabilities

- Secure and Protected Comms without Sacrificing Performance
- Designed to thrive in Congested & Contested environments
- Achieve mission objectives even under electronic attack

APPLICATIONS



Defense

High Bandwidth Networking: On-the-Move, At-the-Halt, Dismounted Operations



Law Enforcement/Public Safety

Tactical Bubble Mesh Network Connectivity: Sensors, Vehicles, EOD & Security Operations




Unmanned Systems

C2 & Comms Relay – Connecting Multiple Operators & Platforms

Removable SL4210P MANET Radio Module

Cerakote aluminum housing for heat sinking. Ruggedized IP67 packaged solution; MIL-STD 810H environmental testing standard



DOCK Chest Mount Assembly



* Intra-Soldier Wireless (ISW) is ITAR controlled. For more information contact your Silvus Sales Representative



DOCK SL4210P

TX POWER	1mW – 1W (2W Effective, thanks to Eigen-Beamforming)
WAVEFORM	MN-MIMO
ENCRYPTION	DES56(Standard); AES256(Optional); FIPS 140-3 Level 2
DATA RATE	Up to 100 Mbps
FREQ. BANDS (MHz)	L (1350-1440) S (2200-2500) L&S (1350-1440) + (2200-2500)
CHANNEL BANDWIDTH (MHz)	20/10/5 (2.5/1.25 Optional)
SCALABILITY	550+ Nodes
SPECTRUM DOMINANCE LPI/LPD & ANTI-JAM CAPABILITIES	MANET Spectrum Analyzer (MAN-SA)
	MANET Power Control (MAN-PC)*
	MANET Protected Waveform (MAN-PW)*
	MANET Interference Avoidance (MAN-IA)
	MANET Interference Cancellation (MAN-IC)*

*ITAR Controlled

Samsung S23TE (Sold Separately)

MODULAR DESIGN	Future-forward casing solution design accommodates current & next generation EUD
CASING SOLUTION	4 Programmable USB Buttons, instantly access key ATAK functions
ENVIRONMENTAL	MIL-STD 810H
PROCESSOR	Qualcomm Snapdragon 8 Gen 2 with 64 Bit Octa-core 3.36 GHz processor
DISPLAY	6.1" Dynamic AMOLED 4K
OS	Android 13 with One UI 5.1 and Knox 3.9 Security
CAMERA	50MP; 3x Optical Zoom; 8K Video
STORAGE	256GB



MECHANICAL

SIZE	168x53x130mm; 6.6"x2"x5.11"
WEIGHT	44oz; 2.75lb
POWER/INPUT VOLTAGE	10-17 VDC
PORTS/CONNECTORS	
POWER & DATA	Glenair 6-Pin NW(m)
AUDIO/PTT	Glenair 6-Pin NW(f)
EUD	USB-C(f)
RF	2xTNC(f)

The following notice applies to the sale, lease, or offer of this device other than for use by the United States Government or for export: This device has not been authorized as required by the rules of the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased, until authorization is obtained. Please contact Silvus for questions about the FCC approval status or requirements that pertain to this device including whether an FCC approved version is available. Exported devices are subject to the laws of the countries into which they are exported.



P: 360.210.4370
W: www.kagwerks.com
E: info@kagwerks.com
A: 8000 NE Parkway Dr., Suite 350
Vancouver, WA 98662



P: 310.479.3333
W: www.silvustechnologies.com
E: info@silvustechnologies.com
A: 10990 Wilshire Blvd., Suite 1500
Los Angeles, CA 90024